

Work Order ID 96447

96447

Page 1

January-28-13 11:56:04 AM

Item ID: D3552-11 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: Door Prop
 Start Date: 1/25/13 Start Qty: 10.00 *10* Cust Item ID:
 Required Date: 2/08/13 Req'd Qty: 10.00 *10* Customer:
 Reference:

Approvals: Process Plan: MLS Date: 13-01-29 Tooling: _____ Date: _____
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____
 Run Start *NR1*
 Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
--------------------------------	--------------------------	----------------------	---------	--------	--------------	---------------	---------------	------------------	----------------

Draw Nbr	Revision Nbr
D3552	K

100	PURCHASING	0.00							
100									
Purchasing	Memo	0.00							
Purchasing	Issue P/O: <u>18981</u>								
	Purchase Part Number: B8-240-575-150N								
	Supplier: LS Technologies								
	Certificate of conformity is required								

110	Receive & Inspect for Damage & Mat'l Certs	0.00							
110									
Packaging	Memo	0.00							
Packaging	Ensure certificate of conformity is attached								

120	QC6- Inspect dimensions to drawing	0.00							
120									
QC	Memo	0.00							
Quality Control	Test for correct pressure								

DAS
15
2-8

13.24

13-01-29

10x 80
13-02-01

10

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>		AGAINST DEPARTMENT/PROCESS <div style="display: flex; justify-content: space-between;"> <div> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>					
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector		
Doc/Data <input type="checkbox"/>											
Equip/Tooling <input type="checkbox"/>											
Operator <input type="checkbox"/>											
Material <input type="checkbox"/>											
Setup <input type="checkbox"/>											
Other <input type="checkbox"/>											
Process <input type="checkbox"/>											
Supplier <input type="checkbox"/>											
Training <input type="checkbox"/>											
Unapproved <input type="checkbox"/>											

FAULT CATEGORY												
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge		<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other	

Work Order ID 96447

96447

Page 2

January-28-13 11:56:04 AM

Item ID: D3552-11 Accept *N900040100* Setup Start *NS1*
Revision ID: Stop *NS2*
Item Name: Door Prop
Start Date: 1/25/13 Start Qty: 10.00 *10* Cust Item ID:
Required Date: 2/08/13 Req'd Qty: 10.00 *10* Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start *NR1*
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
130	Identify as per dwg & Stock Location: _____	0.00							
130									
Packaging	Memo 57260	0.00							
Packaging									
140	QC21- Final Inspection - Work Order Release	0.00							
140									
QC	Memo	0.00							
Quality Control									

13/2/6
MF
13-206

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____

Work Order: _____ Part No. _____ NCR No. _____				DISPOSITION <div style="display: flex; justify-content: space-around;"> <div style="text-align: right;"> Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/> </div> <div style="text-align: right;"> Skid-tube <input type="checkbox"/> Machining <input type="checkbox"/> Thermoforming <input type="checkbox"/> Large Fab <input type="checkbox"/> </div> <div style="text-align: right;"> Crosstube <input type="checkbox"/> Small Fab <input type="checkbox"/> Finishing <input type="checkbox"/> Composite <input type="checkbox"/> </div> <div style="text-align: right;"> Water Jet <input type="checkbox"/> Prod. Eng. Coord. <input type="checkbox"/> Rec/Store/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> </div> <div style="text-align: right;"> Engineering <input type="checkbox"/> Quality <input type="checkbox"/> Other <input type="checkbox"/> </div> </div>								
Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector			
Doc/Data												
Equip/Tooling												
Operator												
Material												
Setup												
Other												
Process												
Supplier												
Training												
Unapproved												
FAULT CATEGORY												
Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube			General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio			<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions			<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge <input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other			

Picklist Print

January-28-13 11:56:03 AM

Page 1

Work Order ID: 96447

Parent Item: D3552-11

Parent Item Name: Door Prop

Start Date: 1/25/13

Required Date: 2/08/13

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP Rev:B 09-04-20 rev.d as per dwg DD verified by:EC IPP Rev:C as per dwg RevE DD
10.02.17 verified by:EC IPP Rev:D 10.12.03 as per dwg rev.G DD verf:EC

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
B8-240-575-150N GAS SPRING		Purchased	No			110	Each	0.0000	1	10x ¹⁰		SP13-02-01	

NCR: Yes / No

WORK ORDER NON-CONFORMANCE / UPDATE

DQA: _____ Date: _____

QA Closed: _____ Date: _____



Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework <input type="checkbox"/> Scrap <input type="checkbox"/> Use-as-is <input type="checkbox"/> Work Order Update <input type="checkbox"/>	AGAINST DEPARTMENT/PROCESS <table style="width: 100%;"> <tr> <td>Skid-tube <input type="checkbox"/></td> <td>Crosstube <input type="checkbox"/></td> <td>Water Jet <input type="checkbox"/></td> <td>Engineering <input type="checkbox"/></td> </tr> <tr> <td>Machining <input type="checkbox"/></td> <td>Small Fab <input type="checkbox"/></td> <td>Prod. Eng. Coord. <input type="checkbox"/></td> <td>Quality <input type="checkbox"/></td> </tr> <tr> <td>Thermoforming <input type="checkbox"/></td> <td>Finishing <input type="checkbox"/></td> <td>Rec/Store/Packaging <input type="checkbox"/></td> <td>Other <input type="checkbox"/></td> </tr> <tr> <td>Large Fab <input type="checkbox"/></td> <td>Composite <input type="checkbox"/></td> <td>Supplier <input type="checkbox"/></td> <td></td> </tr> </table>	Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>	Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>	Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>	Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>	
Skid-tube <input type="checkbox"/>	Crosstube <input type="checkbox"/>	Water Jet <input type="checkbox"/>	Engineering <input type="checkbox"/>															
Machining <input type="checkbox"/>	Small Fab <input type="checkbox"/>	Prod. Eng. Coord. <input type="checkbox"/>	Quality <input type="checkbox"/>															
Thermoforming <input type="checkbox"/>	Finishing <input type="checkbox"/>	Rec/Store/Packaging <input type="checkbox"/>	Other <input type="checkbox"/>															
Large Fab <input type="checkbox"/>	Composite <input type="checkbox"/>	Supplier <input type="checkbox"/>																

Root Cause	Date	Step	Qty	Description of work order update or Non-conformance	Initial Chief Eng	Action Description	Sign & Date	Verification	QC Inspector
Doc/Data									
Equip/Tooling									
Operator									
Material									
Setup									
Other									
Process									
Supplier									
Training									
Unapproved									

FAULT CATEGORY

Landing Gear <input type="checkbox"/> Bending <input type="checkbox"/> Centre Not Concentric to O/S <input type="checkbox"/> Cracks <input type="checkbox"/> Crushed/Crimped. <input type="checkbox"/> Cuffs <input type="checkbox"/> Heat Treat <input type="checkbox"/> Inspection Strip in Tube <input type="checkbox"/> Ripples in Bend <input type="checkbox"/> Torque Waves in Extrusion <input type="checkbox"/> Turning Sequence <input type="checkbox"/> Wave/Twist in Tube	General <input type="checkbox"/> Bend <input type="checkbox"/> BOM/Route <input type="checkbox"/> Broken/Damaged <input type="checkbox"/> Burrs <input type="checkbox"/> Contamination <input type="checkbox"/> Countersink <input type="checkbox"/> Cut Too Short <input type="checkbox"/> Drill Holes <input type="checkbox"/> Drawing <input type="checkbox"/> Finish <input type="checkbox"/> Folio	<input type="checkbox"/> Grain <input type="checkbox"/> Hardware <input type="checkbox"/> Inspection Incomplete <input type="checkbox"/> Instructions Incomplete/Unclear <input type="checkbox"/> Maintenance <input type="checkbox"/> Mislabeled <input type="checkbox"/> Misread <input type="checkbox"/> Offset <input type="checkbox"/> Out of Calibration <input type="checkbox"/> Out of Sequence <input type="checkbox"/> Outside Dimensions	<input type="checkbox"/> Ovalized <input type="checkbox"/> Over/Under tolerance <input type="checkbox"/> Part Incorrect <input type="checkbox"/> Part Lost/Missing <input type="checkbox"/> Part Moved <input type="checkbox"/> Positioned Wrong <input type="checkbox"/> Power Loss/Surge	<input type="checkbox"/> Pressure/Forced <input type="checkbox"/> Temperature/Cure <input type="checkbox"/> Weld <input type="checkbox"/> Wrong Stock Pulled <input type="checkbox"/> Other
--	---	---	--	---


SPECIFICATION CONTROL DRAWING



96447 MLJ
13-01-29

RELEASED
2012-07-24

K	ADD "X" TO LS TECHNOLOGIES P/N'S TO DESIGNATE "EXTRA DAMPING" FOR D3552-15/-17/-18/-25/-27. REASON: PAR12-209.	MB	12.07.16
J	ADD P/N D3552-25/-27. REMOVE ALTERNATE PART NUMBER FOR -15, -17 AND -18. STROKE FOR -15, -17 AND -18 WAS 139/6.06 NOW 134/5.06. EXTENDED LENGTH FOR -15, -17 AND -19 WAS 386/15.2 NOW 387/15.2.	AP	11.12.07
I	ADD P/N D3552-23	RF	11.10.11
H	ADD P/N D3552-21	DC	11.03.10
G	FOR -15, FORCE: 300/67.4 WAS 400/89.9. SUPPLIER P/N B8-154-387-300N WAS B8-154-387-400N; FOR -17, STROKE: 139/5.47 WAS 160/6.30. EXT LG: 386/15.2 WAS 407/16.0. SUPPLIER P/N B8-154-387-156N WAS B8-167-408-156N	JPH	10.11.01
F	ADD P/N D3552-15/-17/-19 AND ALTERNATE SUPPLIER	JPH	10.07.27
E	ADD P/N D3552-13 ZN B8-1, A8-1, D6-1. CHANGE NAME FROM "GAS SPRING" TO "DOOR PROP" THROUGH OUT DWG	HS	10.02.03
D	ADD P/N D3552-101 ZN D6-1, C7-1, C1-1 AND D3552-103 ZN D1-1 AND C2-1 AND ZN B8-1; ADD NOTE REGARDING D3552-101 AND D3552-103 COMPATIBILITY ZN A8-1	HS	09.04.02
C	ADD D3552-11 AND CONVERSIONS FOR INSPECTION; UPDATE P/N FOR D3552-7	LE	07.06.01
B	ADD D3552-7/-9; UPDATE DESC. D3552-1/-3/-5	LE	06.10.24
A	NEW ISSUE	LE	06.09.15
REV.	DESCRIPTION	BY	DATE
DESIGN	JE		
DRAWN	JE		
CHECKED	MD		
MFG. APPR.	JE		
APPROVED	MD		
DE APPR.	JE		
DATE	12.07.16		
DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA			
DRAWING NO. D3552		REV. K	
TITLE DOOR PROP		SHEET 1 OF 2	
SCALE NTS		SCALE NTS	
COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.			



96447

DART PART NUMBER	DESCRIPTION	STROKE (mm/in)	EXTENDED LENGTH (mm/in)	FORCE (N/lb)	END FITTING	MATERIAL	SUPPLIER	SUPPLIER PART NUMBER OR MODEL NUMBER
D3552-1	DOOR PROP	220/8.66	530/20.6	70/15.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-220-530-070N
D3552-3	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-200-490-200N
D3552-5	DOOR PROP	175/6.89	430/16.9	150/33.7	10mm SS BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	C8-175-430-150N
D3552-7	DOOR PROP	220/8.66	530/20.9	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-220-530-070N
D3552-9	DOOR PROP	200/7.87	490/19.3	200/45.0	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-200-490-200N
D3552-11	DOOR PROP	240/9.45	575/22.6	150/33.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-240-575-150N
D3552-13	DOOR PROP	220/8.66	530/20.9	140/31.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-220-530-140N
D3552-15	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-300NX
D3552-17	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-156NX
D3552-19	DOOR PROP W/EXTRA DAMPING	154/6.06	387/15.2	60/13.5	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-154-387-060NX
D3552-21	DOOR PROP	167/6.57	410/16.1	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-167-410-070N
D3552-23	DOOR PROP	190/7.48	475/18.7	70/15.7	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B6-190-475-070N
D3552-25	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	300/67.4	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-300NX
D3552-27	DOOR PROP W/EXTRA DAMPING	148/5.83	475/18.7	156/35.1	10mm NYLON BALL SOCKET	CARBON STEEL	LS TECHNOLOGIES	B8-148-475-156NX
2 D3552-101	CLIP	N/A	N/A	N/A	N/A	CARBON STEEL	LS TECHNOLOGIES	C9
3 D3552-103	BALL SOCKET END	N/A	N/A	N/A	N/A	NYLON	LS TECHNOLOGIES	B10

D3552-X DOOR PROP

RELEASED
2012-07-24

DESIGN	4E	DART AEROSPACE LTD	
DRAWN		HAWKESBURY, ONTARIO, CANADA	
CHECKED	JP	DRAWING NO.	REV. K
MFG. APPR.		D3552	SHEET 2 OF 2
APPROVED		TITLE	SCALE
DE APPR.		DOOR PROP	NTS
DATE	12.07.16	<small>COPYRIGHT © 2006 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.</small>	

NOTES:

- 1) IDENTIFICATION: IDENTIFY PER QSI 044 6.2
- 2) D3552-101 CLIP IS ONLY COMPATIBLE WITH D3552-1/-3/-5 DOOR PROPS
- 3) D3552-103 BALL SOCKET END IS ONLY COMPATIBLE WITH D3552-7/-9/-11/-13/-15/-17/-19/-21/-23/-25/-27 DOOR PROPS



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PO REPRINT

Purchase Order ID PO18981

Purchase Order Date 1/29/2013

PO Print Date 1/29/2013

Page Number 1 of 1

Order From :

VC-LST0001

LS TECHNOLOGIES INC.
314 JESSOP AVE
SASKATOON, SK S7N 1Y6
CA

Contact Name

Vendor Phone

Vendor Fax

Vendor Account Nbr

306 683 5000

306 683 6403

Buyer

Requisition Nbr

Tax Resale Nbr

Terms

Currency

FOB

Brigitte Golden

10127-2607

Net 30

CAD

Destination-Collect

Ship To :

DART AEROSPACE LTD 1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Line Nbr	Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req. Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	B8-240-575-150N <i>Sm</i>	GAS SPRING	2/4/2013 Yes	✓ 10.00 Each	FedEx PI collect	\$41.3640	\$413.64

Special Inst: As per DWG: D3552 Rev: K
B96447

PO Total:

\$413.64

6813-62-01

Change Nbr:

1

Change Date: 1/29/2013

No substitution or deviation without
consent.

Certificate of Conformity or Material
Certification required - YES NO

LS TECHNOLOGIES INC

314 Jessop Ave
Saskatoon, SK S7N 1Y6

Ph # (306) 683-5000

Packing Slip

P.O. No.	Date	Invoice #
18981	1/31/2013	9472

Name / Address
Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship To
Main Finished Goods Location Dart Aerospace Ltd 1270 Aberdeen St. Hawkesbury, ON K6A 1K7

Ship	Via	FOB
1/31/2013	Fed-Ex	

Qty	Description
10	D3552-11 B96447 Gas Spring Shipping Via FED EX Tracking # 794647807585 <i>SP B0201</i>



LS Technologies Inc
314 Jessop Ave
Saskatoon, SK, S7N 1Y6
Ph: (306) 683-5000 Fax: (306) 683-6403

Certificate of Compliance

This is to certify that the parts listed below meets specifications as required by your order.

Jan 31, 2013

10 Units: D3552-11 Carbon Steel Gas Spring

Country of Manufacture: Canada
Date of Manufacture : Jan 2013
This product is ROHS compliant.

Purchase Order # 18981
Invoice # 9472

L S Technologies Inc Canada

A handwritten signature in black ink, appearing to read 'NFEH', written over a horizontal line.

Nolan Fehr
Manager